



ERRATA NOTICE

EOS Core System (ECS) Project Contract No. NAS5-60000

February 9, 1999

Document No.: 420-TP-016-003

Title: Release B.0 Earth Science Data Model in Backus-Naur Form (BNF) for the ECS Project

Enclosed please find change pages for the subject document. Please replace the pages as follows:

<u>Remove</u>	<u>Insert</u>
v and vi	v through viii
3-7 through 3-10	3-7 through 3-10
3-13 through 3-16	3-13 through 3-16

If you have any questions, please contact our Data Management Office at (301) 925-0509.

420-TP-016-003

**Backus-Naur Format (BNF)
Representation of the B.0 Earth Science
Data Model for the ECS Project**

Technical Paper

January 1999

**Technical paper - Not intended for formal review
or Government approval.**

Prepared Under Contract NAS5-60000

RESPONSIBLE ENGINEER

Maureen Muganda /s/

1/6/99

Maureen Muganda, Database Development Manager Date
EOSDIS Core System Project

RESPONSIBLE ENGINEER

Mary Armstrong /s/

1/6/99

Mary Armstrong, Development Manager Date
EOSDIS Core System Project

Raytheon Systems Company
Upper Marlboro, Maryland

This page intentionally left blank.

Abstract

This technical paper describes the convention and the Backus-Naur Format (BNF) representation of the Release B.0 Implementation Earth Science Data Model that was first published in May 1997 (Reference 420-TP-016-001, 420-TP-015-002, 420-TP-015-001).

This technical paper supersedes the B.0 BNF representation (420-TP-016-002), published in December 1997.

Keywords: Attribute, BNF, Class, Data, Database, Design, Dictionary, Metadata, Model, Specifications

This page intentionally left blank.

Change Information Page

List of Effective Pages			
Page Number	Issue		
Title	Submitted as Final		
iii through viii	Submitted as Final		
1-1 through 1-2	Submitted as Final		
2-1 through 2-2	Submitted as Final		
3-1 through 3-20	Submitted as Final		
Document History			
Document Number	Status/Issue	Publication Date	CCR Number
420-TP-016-001	Original	March 1997	97-0242
420-TP-016-002	Submitted as Final	January 1998	97-1754
420-TP-016-003	Submitted as Final	January 1999	98-1317
420-TP-016-003	Addendum/Errata	February 1999	99-0097

This page intentionally left blank.

Contents

Abstract

1. Introduction

1.1	Introduction.....	1-1
1.2	Organization	1-2

2. Interpretation of Information

2.1	Introduction.....	2-1
2.2	BNF Production Rules	2-1

3. Metadata Specification

3.1	Metadata Requirement for <u>Minimal</u> Collections and Granules	3-1
3.2	Metadata Requirement for <u>Limited</u> Science Collections and Granules	3-2
3.3	Metadata Requirement for <u>Intermediate</u> Science Collections and Granules	3-3
3.4	Metadata Requirement for <u>Full</u> Science Collections and Granules	3-4
3.5	Compound Definitions	3-5

List of Tables

1.	Minimum Metadata.....	3-1
2.	Limited Metadata.....	3-2
3.	Intermediate Metadata.....	3-3
4.	Full Metadata.....	3-4
5.	Compound Definitions	3-5

This page intentionally left blank.

1. Introduction

1.1 Introduction

This paper presents four views of the ECS B.0 Earth Science Data Model (420-TP-016-001) through Addendum 3 (12/98) using Backus-Naur Format. This technical paper supersedes the B.0 BNF (420-TP-016-002) published in December 1997. The purpose of these views is to depict the optionality of the various classes and attributes in the data model from the viewpoint of the data and metadata providers. Three of these views are based on the science product categories defined by the Data Model Working Group (DMWG) meeting in the summer of 1995. This is done in recognition of the fact that to demand a full set of attributes for all data collections in ECS is unnecessary and possibly very costly for migrated data sets. The fourth, minimal view is added to represent the metadata requirements for non-science or system collections. This view is the “lowest common denominator” of metadata required by the system to insert a granule and is the only level enforced by the system. The minimal view also represents the minimum metadata attributes that are mandatory. Equally to make all or most attributes optional would allow the possibility of having valuable data sets not fully described and therefore inadequately documented and serviced. The categories of data products in relation to the amount of level of metadata support required are defined as follows:

Minimal level of metadata is the minimum number of attributes needed by the system to insert a granule. This level is required for non-science or system collections, which will not be distributed as products. This level of service is enforced by SDSRV (Metadata Database Schema).

Limited level of metadata includes those **Minimal** attributes required by the system and additionally those **Limited** attributes needed to identify the science content of the collection to the Global Change Master Directory (GCMD). Data providers may provide metadata above and beyond this level as desired. Compliance with this level is not enforced and is the responsibility of the metadata provider.

Intermediate level of metadata is required for products generated outside of EOSDIS but used within EOSDIS (ancillary, level 0, campaign, LandSat 7, TRMM). It could also be applied to V0 data sets migrated to ECS (especially those reformatted to HDF-EOS) as well as special products. Compliance with this level is not enforced and is the responsibility of the metadata provider.

Full level of metadata is required for products generated within EOSDIS. Compliance with this level is not enforced and is the responsibility of the metadata provider. The more comprehensive the metadata supplied, the more comprehensive the services supported. The major service is the sophistication of the search and the amount of supporting metadata, which can be retrieved.

1.2 Organization

This paper is organized in accordance with ESDIS standard format. A description of the document content follows:

- Section 2 contains the B.0 Earth Science object model, class descriptions, and attribute specifications.

Questions regarding technical information contained within this Paper should be addressed to the following ECS contacts:

- Michelle Johnson, Database Development and Management Group, (301) 883-4033
- Jon Pals, Science Office, (301) 883-4087

Questions concerning distribution or control of this document should be addressed to:

Data Management Office
The ECS Project Office
Raytheon Information Technology Systems
1616 McCormick Drive
Upper Marlboro, MD 20774-5372

2. Interpretation of Information

2.1 Introduction

The notation used in the body of this paper is Backus Naur Form (BNF). The production rules are described in Section 2.2

2.2 BNF Production Rules

A production rule specifies the relationship between a compound element, and data elements and other (lower-level) compound elements. Each production rule has a left side (identifier) and a right side (expression) connected by the symbol “=”, meaning that the term on the left side is replaced by or produces the term on the right side. Terms on the right side are either other compound elements or individual data elements. By making substitutions using matching terms in the production rules, one can explain higher-level concepts using data elements. The symbols used in the production rules have the following meaning:

<u>Symbol</u>	<u>Meaning</u>
=	Is replaced by, produces, consists of
+	and
[]	exclusive OR , select exactly one term from the list of enclosed terms . Terms are separated by “ ”.
m{ }n	iteration - the term(s) enclosed is(are) repeated from “m” to “n” times. If m = 0 then the entire group is optional.
()	Optional - the attribute(s) enclosed is (are) optional

Examples:

a=b+c	“a consists of b and c”
a=[b c]	“a consists of one of b or c”
a=4{b}6	“a consists of four to six occurrences of b”
a=b+(c)	“a consists of b and optionally c”
a=0{b}1	“ a consists of zero or one occurrence of b”
a=1{b}n	“ a consists of at least one or more occurrences of b”

This page intentionally left blank.

3. Metadata Specification

The following defines the production rules for the population of the ECS collection and granule metadata for minimal (system), limited, intermediate and full metadata content.

3.1 Metadata Requirement for Minimal Collections and Granules

The intent is to provide minimum metadata for non-science collections. These attributes are the minimal amount needed to insert a granule into the ECS. Attribute groups with a minimal value of zero (e.g. 0{b}n) are optional and may be supplied at the data providers discretion.

Table 1. Minimum Metadata

ECS Minimal Collection =	ECS MinimalGranule =
1{CollectionDescriptionClass}1 +	1{CollectionDescriptionClass}1 +
1{ECSCollection}1 +	0{ECSDataGranule}1 +
0{SingleTypeCollection}1 +	0{[RangeDateTime SingleDateTime]}1 +
0{CollectionAssociation}n +	0{SpatialDomainContainer}1 +
0{AdditionalAttributes}n +	0{OrbitCalculatedSpatialDomain}n +
0{ ECSDiscipline} n+	0{MeasuredParameter}n +
0{ECSTopic}n+	0{ProcessingQA}n +
0{ECSTerm}n+	0{StorageMediumClass}n +
0{ECSVariable}n+	0{SensorCharacteristic}n +
0{ECSPparameter}n+	0{Platform}n +
0{ProcessingLevel} 1+	0{AnalysisSource}n +
0{Review} n +	0{Campaign}n +
0{SpatialKeywordClass}n +	0{AdditionalAttributes}n +
0{TemporalKeywordClass}n +	0{InputGranule}n +
0{Locality}n +	0{AncillaryInputGranule}n +
0{Platform}n +	0{OrbitParametersGranule}n +
0{AnalysisSource}n +	0{Browse}n+
0{Campaign}n +	0{QAGranule}n +
0{Contact}n +	0{UserCommentDocument}n +
0{Spatial}1 +	0{ProductionHistory}1
0{Temporal}1+	
0{CSDTDescription}1 +	
0{StorageMediumClass}n +	
0{AlgorithmPackage}1 +	
0{UserCommentDocument}1 +	
0{ValidationDocument}1 +	
0{QualityTextComment}1 +	
0{ProcessingLevel}1 +	
0{Document}n	

3.2 Metadata Requirement for Limited Science Collections and Granules

The intent is to provide minimum metadata for science related collections.

Table 2. Limited Metadata

ECS Limited Science Collection =	ECS Limited Science Data Granule =
1{CollectionDescriptionClass}1 +	1{CollectionDescriptionClass}1 +
1{ECSCollection}1 +	0{ECSDataGranule}1 +
0{SingleTypeCollection}1 +	0{[RangeDataTime SingleDateTime]}1 +
0{CollectionAssociation}n +	0{SpatialDomainContainer}1 +
0{AdditionalAttributes}n +	0{OrbitCalculatedSpatialDomain}n+
1{ ECSDiscipline} n+	0{MeasuredParameter}n+
1{ECSTopic}n+	0{ProcessingQA}n+
1{ECSTerm}n+	0{StorageMediumClass}n +
0{ECSVariable}n+	0{SensorCharacteristic}n +
0{ECSParameter}n+	0{Platform}n +
0{ProcessingLevel}1 +	0{AnalysisSource}n +
0{Review}n +	0{Campaign}n +
0{SpatialKeywordClass}n +	0{AdditionalAttributes}n +
0{TemporalKeywordClass}n +	0{InputGranule}n +
0{Locality}n +	0{AncillaryInputGranule}n +
0{Platform}n +	0{OrbitParametersGranule}n +
0{AnalysisSource}n +	0{Browse}n+
0{Campaign}n +	0{QAGranule}n +
1{Contact}n +	0{UserCommentDocument}n
0{Spatial}1 +	0{ProductionHistory}1
0{Temporal}1+	
0{CSDTDescription}1 +	
0{StorageMediumClass}n +	
0{AlgorithmPackage}1 +	
0{UserCommentDocument}1 +	
0{ValidationDocument}1 +	
0{QualityTextComment}1 +	
0{Document}n	

3.3 Metadata Requirement for Intermediate Science Collections and Granules

Table 3. Intermediate Metadata

ECS Intermediate Science Collection =	ECS Intermediate Science Data Granule =
1{CollectionDescriptionClass}1 +	1{CollectionDescriptionClass}1 +
1{ECSCollection}1 +	1{ECSDataGranule}1 +
1{SingleTypeCollection}1 +	0{[RangeDateTime SingleDateTime]}1 +
0{CollectionAssociation}n +	0{SpatialDomainContainer}1 +
0{AdditionalAttributes}n +	
1{ECSDiscipline}n+	0{OrbitCalculatedSpatialDomain}n +
1{ECSTopic}n+	0{MeasuredParameter}n +
1{ECSTerm}n+	0{ProcessingQA}n +
1{ECSVariable}n+	0{StorageMediumClass}n +
0{ECSParameter}n+	0{SensorCharacteristic}n +
0{ProcessingLevel}1 +	0{Platform}n +
0{Review}n +	0{AnalysisSource}n +
0{SpatialKeywordClass}n +	0{Campaign}n +
0{TemporalKeywordClass}n +	0{AdditionalAttributes}n +
0{Locality}n +	0{InputGranule}n +
0{Platform}n +	0{AncillaryInputGranule}n +
0{AnalysisSource}n +	0{OrbitParametersGranule}n +
0{Campaign}n +	0{Browse}n+
1{Contact}n +	0{QAGranule}n +
1{Spatial}1	0{UserCommentDocument}n
1{Temporal}1+	0{ProductionHistory}1
0{CSDTDescription}1 +	
0{StorageMediumClass}n +	
0{AlgorithmPackage}1 +	
0{UserCommentDocument}1 +	
0{ValidationDocument}1 +	
0{QualityTextComment}1 +	
1{Document}n	

3.4 Metadata Requirement for Full Science Collections and Granules

Table 4. Full Metadata

ECS Full Science Collection =

1{CollectionDescriptionClass}1 +
1{ECSCollection}1 +
1{SingleTypeCollection}1 +
0{CollectionAssociation}n +
0{AdditionalAttributes}n +
1{ECSDiscipline}n+
1{ECSTopic}n+
1{ECSTerm}n+
1{ECSVariable}n+
0{ECSParameter}n+
1{ProcessingLevel}1 +
0{Review}n +
0{SpatialKeywordClass}n +
0{TemporalKeywordClass}n +
0{Locality}n +
0{Platform}n +
0{AnalysisSource}n +
0{Campaign}n +
1{Contact}n +
1{Spatial}1
1{Temporal}1+
0{CSDTDescription}1 +
0{StorageMediumClass}n +
1{AlgorithmPackage}1 +
0{UserCommentDocument}1 +
0{ValidationDocument}1 +
0{QualityTextComment}1 +
1{Document}n

ECS Full Science Data Granule =

1{CollectionDescriptionClass}1 +
1{ECSDataGranule}1 +
0{[RangeDateTime|SingleDateTime]}1 +
0{SpatialDomainContainer}1 +
0{OrbitCalculatedSpatialDomain}n +
0{MeasuredParameter}n +
0{ProcessingQA}n +
0{StorageMediumClass}n +
0{SensorCharacteristic}n +
0{Platform}n +
0{AnalysisSource}n +
0{Campaign}n +
0{AdditionalAttributes}n +
0{InputGranule}n +
0{AncillaryInputGranule}n +
0{OrbitParametersGranule}n +
0{Browse} n+
0{QAGranule}n +
0{UserCommentDocument}n +
1{ProductionHistory}1

3.5 Compound Definitions

Table 5. Compound Definitions

<u>Collection Level Compound Definitions</u>	<u>Granule Level Compound Definitions</u>
CollectionDescriptionClass = ShortName + LongName + CollectionDescription + VersionID	CollectionDescriptionClass = ShortName + VersionID
ECSCollection = ArchiveCenter + (ProcessingCenter) + RevisionDate + (SuggestedUsage) + VersionDescription	ECSDataGranule = SizeMBECSDataGranule + (ReprocessingActual) + (ReprocessingPlanned) + (DayNightFlag) + GranulePointer + (LocalGranuleID) + (LocalVersionID) + ProductionDateTime + (PGEVersion)
SingleTypeCollection = (AccessConstraints) + (CitationforExternalPublication) + CollectionState + MaintenanceandUpdateFrequency	RangeDateTime = RangeBeginningDate + RangeBeginningTime + RangeEndingDate + RangeEndingTime
CollectionAssociation = CollectionType + CollectionUse + VersionID + Shortname	SingleDateTime = CalendarDate + TimeofDay
AdditionalAttributes = AdditionalAttributeDatatype + AdditionalAttributeDescription + AdditionalAttributeName + 0{PhysicalParameterDetails}1 + 0{InformationContent}1	SpatialDomainContainer = 0{GranuleLocality}n+ 1{HorizontalSpatialDomainContainer}1 + 0{VerticalSpatialDomain}n

Table 5. Compound Definitions (cont.)

Collection Level Compound Definitions	Granule Level Compound Definitions
PhysicalParameterDetails = (ParameterMeasurementResolution) + (ParameterRangeBegin) + (ParameterRangeEnd) + (ParameterUnitsofMeasurement) + (ParameterValueAccuracy) + (ParameterValueAccuracyExplanation)	HorizontalSpatialDomainContainer = 0{ZonelIdentifierClass}1 + [Point Circle] BoundingRectangle GPolygon]
InformationContent = ParameterValue	GranuleLocality = LocalityValue
ECSDiscipline = ECSDisciplineKeyword	
ECSTopic= ECSTopicKeyword	ZonelIdentifierClass = ZonelIdentifier
ECSTerm= ECSTopicKeyword	GPolygon = 1{GPolygonContainer}n
ECSVariable = ECSVariableKeyword	GPolygonContainer = GRing + 3{GRingPoint}n
ECSParameter = ECSParameterKeyword	GRing= ExclusionGRingFlag
ProcessingLevel = ProcessingLevelDescription + ProcessingLevelID	GRingPoint = GRingPointLatitude + GRingPointLongitude + GRingPointSequenceNo
Review = FutureReviewDate + ScienceReviewDate + ScienceReviewStatus	BoundingRectangle = EastBoundingCoordinate+ NorthBoundingCoordinate +

Table 5. Compound Definitions (cont.)

<u>Collection Level Compound Definitions</u>	<u>Granule Level Compound Definitions</u>
SpatialKeywordClass = SpatialKeyword	SouthBoundingCoordinate + WestBoundingCoordinate
TemporalKeywordClass = TemporalKeyword	Point = PointLatitude + PointLongitude
Locality = LocalityType + (LocalityDescription)	Circle = CenterLatitude + CenterLongitude + RadiusUnits + RadiusValue
Platform = PlatformShortName + PlatformType + PlatformLongName + 0{PlatformCharacteristic}n + 0{Instrument}n	VerticalSpatialDomain = VerticalSpatialDomainType + VerticalSpatialDomainValue
PlatformCharacteristic = PlatformCharacteristicName + (PlatformCharacteristicUnit) + PlatformCharacteristicDataType + PlatformCharacteristicDescription + 1{PlatformCharacteristicValueClass}1	OrbitCalculatedSpatialDomain = EquatorCrossingDate + EquatorCrossingLongitude + EquatorCrossingTime + (Orbital modelName) + [OrbitNumber + [StartOrbitNumber + StopOrbitNumber]]
PlatformCharacteristicValueClass = PlatformCharacteristicValue	MeasuredParameter = ParameterName + 1{QAFlags}1 + 0{QAStats}1
Instrument = InstrumentShortName + (InstrumentLongName) + (NumberOfSensors) + (InstrumentTechnique) + 0{OperationModeClass}n + 0{InstrumentCharacteristic}n + 0{Sensor}n	

Table 5. Compound Definitions (cont.)

<u>Collection Level Compound Definitions</u>	<u>Granule Level Compound Definitions</u>
OperationModeClass = OperationMode	QAFlags = AutomaticQualityFlag + AutomaticQualityFlagExplanation + (OperationalQualityFlag) + (OperationalQualityFlagExplanation) + (ScienceQualityFlag) + (ScienceQualityFlagExplanation)
InstrumentCharacteristic = (InstrumentCharacteristicUnit) + InstrumentCharacteristicDataType + InstrumentCharacterisitcDescription + InstrumentCharacteristicName + <u>1{InstrumentCharacteristicValueClass} n</u> InstrumentCharacteristicDescription + InstrumentCharacteristicName	QAStats = (QAPercentInterpolatedDate) + QAPercentMissingData + (QAPercentOutofBoundsData) + (QAPercentCloudCover)
InstrumentCharacteristicValueClass = InstrumentCharacteristicValue	ProcessingQA = ProcessingQADescription + ProcessingQAAttribute
Sensor = SensorShortName + (SensorLongName) + (SensorTechnique) + 0{SensorCharacteristic}n	StorageMediumClass = StorageMedium
SensorCharacteristic = (SensorCharacteristicUnit) + SensorChracteristicDataType + SensorCharacteristicDescription + SensorCharacteristicName + SensorCharacteristicValueClass	SensorCharacteristic = SensorCharacteristicName + {SensorCharacteristicValue}

Table 5. Compound Definitions (cont.)

<u>Collection Level Compound Definitions</u>	<u>Granule Level Compound Definitions</u>
SensorCharacteristicValueClass = SensorCharacteristicValue	Platform = PlatformShortName + (Instrument) 1 + 0{Sensor} n
AnalysisSource= AnalysisType + (AnalysisLongName) + AnalysisShortName + (AnalysisTechnique)	Instrument = InstrumentShortName + 0{OperationModeClass} 1
Campaign = CampaignShortName + (CampaignLongName) + (CampaignStartDate) + (CampaignEndDate)	OperationModeClass= OperationMode
Contact = Role + (HoursofService) + (ContactInstructions) + [ContactPerson + ContactOrganization] + 0{Email} 1+ 0{Telephone} n+ 0{ContactAddress} n	Sensor = SensorShortName AnalysisSource = AnalysisShortName
ContactPerson = ContactFirstName + (ContactMiddleName) + ContactLastName + (ContactJobPosition)	Campaign= CampaignShortName AdditionalAttributes = AdditionalAttributeName + 1{InformationContent}1
	InformationContent = ParameterValue
	InputGranule = InputPointer

Table 5. Compound Definitions (cont.)

<u>Collection Level Compound Definitions</u>	<u>Granule Level Compound Definitions</u>
ContactOrganization = ContactOrganizationName	AncillaryInputGranule = AncillaryInputType + AncillaryInputPointer
Email = ElectronicMailAddress	OrbitParametersGranule = OrbitParametersPointer
ContactAddress = StreetAddress + City + StateProvince + PostalCode + Country	Browse = BrowsePointer + BrowseSize + BrowseDescription
Telephone = (TelephoneNumberType) + TelephoneNumber	QAGranule = QAGranulePointer
Spatial = SpatialCoverageType + 0{CoordinateSystemContainer}1 + 1{SpatialDomainContainer}1	UserCommentDocument = UserCommentDocumentPointer
CoordinateSystemContainer = 0{VerticalCoordinateSystemContainer}1 + 0{HorizontalCoordinateSystemContainer}1	ProductionHistory = ProductionHistoryPointer
VerticalCoordinateSystemContainer = 0{AltitudeSystemDefinition}1 + 0{DepthSystemDefinition}1	

Table 5. Compound Definitions (cont.)

<u>Collection Level Compound Definitions</u>	<u>Granule Level Compound Definitions</u>
AltitudeSystemDefinition = AltitudeDatumName + AltitudeDistanceUnits + AltitudeEncodingMethod + AltitudeResolution	
DepthSystemDefinition = DepthDatumName + DepthDistanceUnits + DepthEncodingMethod + DepthResolution	
HorizontalCoordinateSystemContainer = 0{Geodetic Model}1+ [PlanarCoordinateSystemContainer GeographicCoordinateSystem LocalCoordinateSystem]	
GeodeticModel = DenominatorofFlatteningRatio+ EllipsoidName + (HorizontalDatumName) + SemiMajorAxis	
LocalCoordinateSystem = LocalCoordinateSystemDescription + LocalGeoreferenceInformation	
GeographicCoordinateSystem = GeographicCoordinateUnits + LatitudeResolution + LongitudeResolution	
PlanarCoordinateSystemContainer = 1{PlanarCoordinateSystem}n	

Table 5. Compound Definitions (cont.)

<u>Collection Level Compound Definitions</u>	<u>Granule Level Compound Definitions</u>
PlanarCoordinateSystem = 1{PlanarCoordinateInformation}1 + [MapProjection LocalPlanarCoordinateSystem GridCoordinateSystem]	
PlanarCoordinateInformation = PlanarCoordinateEncodingMethod + PlanarDistanceUnits + [DistanceandBearingRepresentation CoordinateRepresentation]	
DistanceandBearingRepresentation = BearingReferenceMeridian+ BearingResolution + BearingUnits + DistanceResolution + BearingReferenceDirection	
CoordinateRepresentation = AbscissaResolution + OrdinateResolution	
MapProjection = MapProjectionName + (MapProjectionPointer)	
LocalPlanarCoordinateSystem = LocalPlanarCoordinateSystemDescription + LocalPlanarGeoreferenceInformation	
GridCoordinateSystem = GridCoordinateSystemName	
SpatialDomainContainer = 0{VerticalSpatialDomain}n + 1{HorizontalSpatialDomainContainer}1	

Table 5. Compound Definitions (cont.)

<u>Collection Level Compound Definitions</u>	<u>Granule Level Compound Definitions</u>
VerticalSpatialDomain = VerticalSpatialDomainType + VerticalSpatialDomainValue	
HorizontalSpatialDomainContainer = 0{ZonelIdentifierClass}1 + [Gpolygon] BoundingRectangle Point Circle]	
ZonelIdentifierClass = ZonelIdentifier	
Gpolygon = 1{GpolygonContainer}n +	
GpolygonContainer= Gring + 3{RingPoint}n	
GRing = ExclusionGRingFlag +	
GringPoint = GringPointLatitude + GringPointLongitude + GringPointSequenceNo	
BoundingRectangle = EastBoundingCoordinate + NorthBoundingCoordinate + SouthBoundingCoordinate + WestBoundingCoordinate	
Point = PointLatitude + PointLongitude	

Table 5. Compound Definitions (cont.)

<u>Collection Level Compound Definitions</u>	<u>Granule Level Compound Definitions</u>
Circle = CenterLatitude + CenterLongitude + RadiusUnits + RadiusValue	
Temporal = DateType + TemporalRangeType + TimeType + EndsatPresentFlag + Precisionof Seconds + 0{RegularPeriodic}n + 0{MultipleDateTimePeriod}n + 1 {[SingleDateTime RangeDateTime]} 1	
RegularPeriodic = Period1stDate + Period1stTime + PeriodCycleDurationUnit + PeriodCycleDurationValue + PeriodDurationUnit + PeriodDurationValue + PeriodName	
MultipleDateTimePeriod = MultipleDateTimeName 2{SingleDateTimes}n	
<u>SingleDateTimes=</u> <u>CalendarDate +</u> <u>TimeOfDay</u>	

Table 5. Compound Definitions (cont.)

<u>Collection Level Compound Definitions</u>	<u>Granule Level Compound Definitions</u>
RangeDateTime = RangeBeginningDate + RangeBeginningTime + RangeEndingDate + RangeEndingTime	
CSDTDescription = PrimaryCSDT + (CSDTComments) + Implementation + (IndirectReference)	
StorageMediumClass = StorageMedium	
AlgorithmPackage = PGEVersion + AlgorithmPackageVersion + SWVersion + AlgorithmPackageAcceptanceDate + AlgorithmPackageMaturityCode + AlgorithmPackageName + DeliveryPurpose + PGName + PGEIdentifier + PGEFunction + PGEDateLastModified + SWDateLastModified + 0{SSAPComponent}n	
SSAPComponent = ComponentType + ComponentName + SSAPAlgorithmPackageName + SSAPIInsertDate + 0{SSAPComponentAPVersion}n	
SSAPComponentAPVersion = SSAPAlgPackageVersion	

Table 5. Compound Definitions (cont.)

<u>Collection Level Compound Definitions</u>	<u>Granule Level Compound Definitions</u>
UserCommentDocument = UserCommentDocumentPointer	
ValidationDocument = ValidationDocumentPointer	
QualityTextDocument = QualityTextComment + QualityTextDocumentPointer + QualityTextCommentPointer	
Document = DocumentVersion + DocumentUpdated + Title + DocumentCreated + 0{Author}n + 0{ProcessingReport}1 + 0{ReferencePaper}1 + 1{Guide}1 + 0{ProductionPlan}1 + 0{AlgorithmDescription}1	
Author = AuthorName+ AuthorAffiliation	
Guide = GuideName + DataCenter + 0{AnalysisSourceGuide}1 + 0{CampaignGuide}1 + 0{PlatformGuide}1 + 0{RegionalAreaDefinitionGuide}1 + 0{InstrumentGuide}1 + 0{SensorGuide}1 + 0{ArchiveCenterGuide}1 + 0{ProcessingCenterGuide}1 + 0{ECSCollectionGuide}1	

Table 5. Compound Definitions (cont.)

<u>Collection Level Compound Definitions</u>	<u>Granule Level Compound Definitions</u>
AnalysisSourceGuide = AnalysisSourceGuidePointer	
CampaignGuide = CampaignGuidePointer	
PlatformGuide = PlatformGuidePointer	
RegionalAreaDefinitionGuide = RegionalAreaDefinitionGuidePointer + GeographicalRegionName	
InstrumentGuide = InstrumentGuidePointer	
SensorGuide = SensorGuidePointer	
ArchiveCenterGuide = ArchiveCenterGuidePointer	
ProcessingCenterGuide = ProcessingCenterGuidePointer	
ECSCollectionGuide = ECSCollectionGuidePointer	
ProcessingReport = ProcessingReportType + ProcessingReportPeriod + [ProcessingResourceUsageReport ProcessingErrorReport ProcessingStatusReport]	
ProcessingResourceUsageReport = ProcessingResourceUsageReportPointer	
ProcessingErrorReport = ProcessingErrorReportPointer	

Table 5. Compound Definitions (cont.)

<u>Collection Level Compound Definitions</u>	<u>Granule Level Compound Definitions</u>
ProcessingStatusReport = ProcessingStatusReportPointer	
ReferencePaper = ReferencePaperType + AbstractPointer + AccessInstructions + DateofReferencePaperPublication + ReferencePaperReference + [StandAloneDocument] JournalArticle]	
StandAloneDocument = StandAloneDocumentPointer	
JournalArticle = JournalArticlePointer + JournalArticleName	
ProductionPlan = ProductionPlanPointer + ProductionPlanStartDate + DAACName PlannedDataSets + ProductionPlanDescription + ProductionPlanEndDate + ProductionPlanForecast	
AlgorithmDescription = DescriptionType	
DetailedDesign DetailedDesignPointer	
SWDevelopmentStandard SWDevelopmentStandardPointer	
TestPlan TestPlanPointer	

Table 5. Compound Definitions (cont.)

<u>Collection Level Compound Definitions</u>	<u>Granule Level Compound Definitions</u>
ProcessingFileDescription	
ProcessingFileDescriptionPointer	
OperationsManual	
OperationsManualPointer	
ProgrammersGuide	
ProgrammersGuidePointer	
SystemDescription	
SystemDescriptionPointer	
ATBD	
ATBDPointer	
PerformanceTestResults	
PerformanceTestResultsPointer	

This concludes the BNF document.

This page intentionally left blank.